Paediatric and Perinatal Epidemiology 1991, **5**, 469–470

Paediatric and Perinatal Epidemiology

Author Index to Volume 5

Adams M.M., 333
Akar U., 286
Alam H., 101
Amatayakul K., 347
Anderson H.R., 83

Backett M., 459
Baker J., 410
Baum D., 347
Belizán J.M., 263
Berendes H.W., 168, 428
Bland J.M., 83
Bloch D., 445
Bossi A., 56
Brand R., 11
Brogan D., 333
Brooke O.G., 83
Brooks-Gunn J., 410
Bruce C., 333
Brunskill A.J., 392
Buekens P., 276
Bundey S., 101

Cafiero M., 70, 78
Calabro A., 445
Calzolari E., 445
Cameron N., 211
Campbell D., 276
Campbell M.J., 93
Caulfield L.E., 263
Chang D., 428
Chiowanich P., 347
Connell F.A., 392
Coppola A., 64, 70, 78
Cornel M. C., 445
Cortinovis I., 56
Croen L.A., 423
Cuttini M., 56

Daling J., 378, 392
Darquennes H., 276
Day S., 235
de Vonderweid U., 56
de Wals P., 445
Derksen-Lubsen G., 181
Derom R., 276
Dinçer Z., 299
Dramaix M., 276
Drewett R., 347

Edmonston B., 263
Emanuel I., 378
Emond A., 119

Fergusson D.M., 116, 189
Fonn S., 211
Forman M.R., 168, 428

Gaffin J., 7, 136, 260, 376
Gibb D., 123
Golding J., 304, 361, 453
Gökçay G., 286
Grubb P.J., 449
Güleçyüz M., 299

Haas J.D., 263
Hall M., 303
Harker L., 236
Harris J.A., 423
Haste F.M., 83
Hazebroek-Kampschreur A.A.J.M., 181
Hogue C., 333
Hutzler M., 320
Hytten F.E., 448

Ignatyeva R.K., 157
Imong S., 347

Jackson D., 347
James D., 362
Jarkovska S.V., 157
Jensvold N.G., 423
Johnson Z., 445

Kaderkaeva N.I., 157
Kaur A., 101
Kiely J.L., 243, 265
Kinsbourne M., 115
Kline J., 320
Koiranen M., 201
Kutluay T., 286, 299

Lancashire R., 101
Latino A., 64
Lekea-Karanika V., 37, 304
Levin B., 320
Lewando-Hundt G., 168, 428
Ligutic I., 445
Lilja M., 27
Little R.E., 378
Lloyd M., 189
Lumey L.H., 363
Lunt P. W., 363

McCormick M.C., 410
Macfarlane A.J., 93
MacGillivray I., 276

Mahomed K., 456
Malcontent, 4, 133, 258, 373
Matsaniotis N.S., 37
Mazzarella G., 64, 70, 78
Mendes C., 64, 70
Migone A., 378
Mir S., 101
Mitchel E.F., Jr, 402
Mueller B., 378
Murphy M.F.G., 93

Naggan L., 168, 428
Nevin N., 445
Neyzi O., 286, 299

Offringa M., 181
Oja H., 201
Olgun P., 286, 299

Padayachee N., 211
Paneth N., 239, 458, 463
Peacock J.L., 83
Peckham G.J., 410
Pexieder T., 445
Piper J.M., 402
Pisacane A., 64, 70, 78

Quagliata L., 64, 70, 78

Rantakallio P., 201
Rasmussen K.M., 263
Read A.W., 138
Richter L., 211
Roberts S., 449
Rodrigues L., 93
Rossing M.A., 392
Ruckphaopunt S., 347
Rutter M., 346
Ruys J.H., 11

Saner G., 286, 299
Sarov B., 168, 428
Scarpellino B., 64, 70, 78
Shaw G.M., 423
Shulman H.B., 333
Spencer N., 454
Stanley F.J., 138, 451
Stein Z., 320
Stirrat G., 9
Stoll C., 445
Stone P., 77
Strachan D.P., 118
Susser M., 320
Swerdlow A.J., 234

Tansuhaj A., 347
Taşdelen E., 286
Tenconi R., 445
Thiery M., 276
Thorpe K., 117
Tilmont P., 445
Turner J., 410
Tzoumaka-Bakoula C., 37, 304

Uzel N., 286, 299

van Zeben-van der Aa D.M., 11
Verloove-Vanhorick P., 11
Volpicelli G., 64

Wagstaff L., 211
Warburton D., 320
Wildschut H.I.J., 363
Wongsawasdii L., 347
Workman-Daniels K., 410
Woolridge M., 347

Yach D., 211, 242

Zangwill L., 428

Paediatric and Perinatal Epidemiology 1991, **5**, 471–474

Paediatric and Perinatal Epidemiology

Subject Index to Volume 5

Acceleration of labour, 70
Age at marriage, 37
AIDS, 258
Air pollution, 118, 208, 219
Alcohol consumption, 83
Allergic response, 118
Ambulation in labour, 70
Amish, 366
Analgesics, 405, 406
Antenatal visits, 70
Antenatal care, 64, 70, 78, 303, 304
Antenatal care and response, 415
Antibiotics, 405, 406
Anticonvulsants, 181, 407
Arm circumference, 83
Arthritis, 7, 136
Asphyxia at birth, 56, 263, 452

Baby Doe, 133
Bacterial contamination, 347
Bed rest in labour, 78
Bedouin Infant Feeding Study, 168, 428
Behaviour, 346
Betamethasone, 453
Biased ascertainment, 410
Birth defects, 423, 453
Birth interval, 180
Birth length, 83
  and consanguinity, 108
  and ethnic group, 107
Birth to Ten, 211
Birthweight, 27, 56, 243, 276, 333, 428
  and consanguinity, 108
  and ethnic group, 107
  and race, 378
  and response, 415
  high, 392
  genetics of, 366, 378
  low, 27, 168
  very low, 11
Birthweight for gestation standards, 201
Birthweight-specific mortality, 64
Bleeding, 308
Blood groups, 308
Breast feeding, 70, 168, 286, 299, 347, 428

Caesarean section
  and breast feeding, 168
  and response, 415
California Birth Defects Monitoring Program, 423
Cannabis, 320
Case-control studies, 1
Causes of perinatal death, 157
Child abuse, 236
Chromosome abnormalities, 27, 320
Clustering, 126
Codeine, 405, 406
Cognitive development, 218

Cohort reconstruction, 410
Community involvement, 225
Confidential enquiries, 122
Confidentiality, 224
Confounding, 243
Congenital heart disease, 101
Congenital malformations, 101, 145, 423, 453
Consanguinous parents, 101
Consent, 451
Contact between mother and baby, 78
Counselling, 299

Diabetes, maternal, 392
Dideoxyinosine, 258
Diet, 361
Drug ingestion, 304
Drug exposure, fetal, 402
Dyslexia, 115

Education, maternal, 333
Environment-genotype interaction, 365
Epidemic, 125
Episiotomy, 78
Ethics, 449
Ethnic group, 324
Ethnic group differences, 101
  in Kawasaki disease, 125
  in mortality rates, 101
EUROCAT, 445

Failure to attend, 78
Finland, 201
Follow-up, 11
Follow-up studies, 452

Gender and response, 415
Genetics, 363, 378
Genetics, behavioural, 346
Geographic variation, 65
Gestation, 40
  and consanguinity, 108
  and ethnic group, 107
  and race, 378
  genetics of, 366, 378
Gravidity, 30, 37
Greek National Perinatal Survey, 37
Growth retardation, intrauterine, 56, 83, 138, 263, 428
Growth, infant, 347

Haematocrit, 304
Hawthorne effect, 4
Head circumference, 56, 83
  and consanguinity, 108
  and ethnic group, 107
Health care, 373
Health services, 11
Holoprosencephaly, 445
Hospital admission, 11, 308
Hospitalisation and response, 415
Housing, 428
Hyperbilirubinaemia, 56, 263
Hyperglycaemia, 58
Hypertension, 308
Hypoglycaemia, 263

IgE, 118
Immune system
  in Kawasaki disease, 128
Income, 392
  and response, 415
Induction of labour, 70, 202
Infant mortality rate, 65, 243
  by ethnic group, 214
  time trends, 93
Infection, neonatal, 56
Interaction between alcohol and smoking, 83
Intervening variables, 243
Intervention, educational, 286, 299
Intrauterine growth retardation *see* growth retardation
Iron, 304
IUGR *see* growth retardation

Jamaican Perinatal Morbidity and Mortality Survey, 121

Kawasaki disease, 123

Life events, 116
Lifestyle, 361

Low birthweight, 168
  and single umbilical artery, 27

Macrosomia, 392
Mail surveillance, 333
Malaria, 216
Marijuana, 320
Marital status, 37, 333, 392
Mast cells, 118
Maternal age, 27, 180, 392
  and response, 415
Maternal birthweight, 144, 146, 152
Maternal care, 122
Maternal education, 37, 324
  and response, 415
Maternal height, 144, 146, 152
  time trends, 208
Maternal hormones, 234
Maternal occupation, 37
Maternal smoking, 37, 83, 144, 146, 147, 180, 392
  and IQ of child, 189
Maternal weight
  time trends, 208
Maternal weight gain, 150
Measles, 216
Media
Methodology, 1
Miscarriage, 320
Mortality, 361
Multicollinearity, 252
Multiple cause classification, 157
Multivariate analysis, 449

Neonatal morbidity, 145
Neonatal mortality, 59
  and ethnic group, 101
Neural tube defects, 106
Non-respondents, 410
Nutrition in pregnancy, 448
Nutritional status, 217

Parallel track, 258
Parity, 27, 37, 168, 392, 428
  and response, 415
Paternal education, 37, 180
Paternal smoking, 144, 146, 147, 151
Perinatal care, 64, 70, 78
Perinatal mortality, 64, 157, 243
  and ethnic group, 101
Phenotype variance, 364
Place of birth, 70
Pollution, 219
Ponderal index, 83, 263
POPS, 11, 119
Pregnancy Risk Assessment Monitoring System, 333
Preterm, 37, 276, 304, 363, 384
  and single umbilical artery, 27
  time trends, 207
Preterm infants, 11
Proportionality, 36
Proteinuria, 308
Psychosomatic approach, 455

Race, 333
  and response, 415
Randomised control trials, 4
Reading
  and maternal smoking, 189
Recurrence
  febrile seizures, 181
  preterm delivery, 363
  small-for-gestational-age, 138
Region, 37
Respiratory distress, 56, 263
Response, 333
Retinoids, 445
Risk
  and antenatal care, 70
Rooming-in, 70
Rug shampooing, 127

Screening, 78, 454
Season, 27, 93, 125, 168
Season of birth, 428
Seizures
  febrile, 181
  neonatal, 60
Sex differences, 27, 125
SIDS *see* sudden infant death syndrome
Single umbilical artery, 27
Small-for-gestational-age, 56, 138, 263
Social class, 125, 276
  by infant mortality, 215, 216

social development, 218
Society for Pediatric Epidemiologic Research, 239, 463
South Africa, 211
Stressful life events, 116
Sudden infant death syndrome, 1, 93
Supporting relative, 70, 78

Telephone surveillance, 333
Temperament, 93, 117
Time trends, 125, 201, 276, 393
  in birthweight for gestation, 201
  in perinatal mortality, 157
Tracing agency, 410, 417, 419
Traditionality, 428
Tuberculosis, 216
Twins, 276
  with single umbilical artery, 27
Typhoid, 216

USSR, 157
Urban–rural areas, 125
Urbanisation, 212
Urinary tract infections, 308
Use of services, 11

Vaginal infections, 406
Very low birthweight infants, 11
Vitamins, 304

Water, stagnant, 128
Weather, 93
Weight, infant, 286
Wigglesworth classification of perinatal deaths, 67